

POST PROCEDURAL INSTRUCTIONS

CT Scan/IVP

Increase your intake of fluids for the next 24 hours to assist in flushing the contrast from your system.

You may return to your normal diet.

*If you are diabetic and take any of the following medications
Do Not take them for next 48 hours after your imaging exam:*

Metformin
Glucophage
Glucovance
Avandamet
Fortame
GluMetza
Metaglip
Actoplus Met
Janumet

Check with your personal provider as the FDA recommends that you obtain a blood test to check your kidney function (BUN & Creatinine) just prior to resuming any of the above medications. You may resume all other medications immediately.

St. Francis Hospital

A Part of Franciscan Health System

Diagnostic Imaging Services

Thank you for choosing St. Francis Hospital for your diagnostic imaging services. It is our goal to provide you with prompt, professional care and have your imaging results available for your provider within 24 hours.

If you need copies of your exams for your doctor's appointment, please contact Diagnostic Imaging at (253) 944-4133, option 3. Please allow 24 hours to process your request.

You may also be contacted regarding your visit by HealthStream Research, our customer service partner, to help us ensure that our service is meeting your needs. No personal identifiable information will be asked of you.

Should you have any questions or comments regarding the care you received, please contact James Shreve, Diagnostic Imaging Manager at (253) 944-4070.

Thank you for allowing me to serve you today _____

ПОСТПРОЦЕДУРНЫЕ РЕКОМЕНДАЦИИ

Срез КТ/Внутривенная пиелография

Увеличьте потребление жидкости в течение 24 часов после проведения процедуры, чтобы вывести контрастное вещество из организма

Вы можете вернуться к обычной диете.

*Если у вас диабет, и вы принимаете какой-либо из перечисленных препаратов
Воздержитесь от приема этих лекарств в следующие 48 часов после проведения обследования:*

Metformin
Glucophage
Glucovance
Avandamet
Fortamet
GluMetza
Metaglip
Actoplus Met
Janumet

Перед возобновлением приема любого из данных препаратов FDA рекомендует обратиться к своему лечащему врачу и сдать анализ крови на содержание азота мочевины и креатинина для оценки работы почек. Прием всех прочих препаратов можно возобновить немедленно.

St. Francis Hospital

A Part of Franciscan Health System

Рентгенографическое обследование

Благодарим вас за выбор St. Francis Hospital для проведения рентгенографических исследований. Мы стремимся обеспечивать вам оперативное и профессиональное обслуживание и предоставлять результаты рентгенографических исследований в течение 24 часов.

Если вам нужны копии рентгеновских снимков на приеме у врача, обратитесь в отделение рентгенографических исследований по телефону (253) 944-4133, вариант 2. Для обработки вашего запроса потребуется 24 часа.

По вопросам организации вашего визита, а именно, чтобы подтвердить, что наша услуга отвечает вашим потребностям, с вами может связаться наш партнер по работе с клиентами, HealthStream Research. От вас не потребуется предоставление какой-либо личной информации.

Если у вас возникнут вопросы или вы захотите оставить отзыв о полученном обслуживании, обратитесь к заведующему отделением рентгенографических исследований, Andre House, по телефону (253) 944-4070.

Благодарим вас за возможность быть вам полезными сегодня